

Art Unit: 1655

1. The reply filed on 1/13/2009 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): applicant did not make it clear in their election of species of what exactly was elected. It appears they meant to elect only the extract from the entire plant, standardized extract and lyophilized extract. For example, it is not clear if any of claims 28, 30, 31, 33 or 34 are being elected or not. Applicant needs to state on the record which claims are to be in the elected method **and which ones are not. If applicant wants to elect claims 26 and 27 only, please state such.** See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael V. Meller whose telephone number is 571-272-0967. The examiner can normally be reached on Monday thru Thursday: 9:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terry McKelvey can be reached on 571-272-0775. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1655

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Michael V. Meller/
Primary Examiner, Art Unit 1655